

EJOT[®] EJOBAR

The membrane-friendly
bridging system for single ply
PVC membrane roofs



Innovative, versatile
and VERY strong




EJOT[®] The Quality Connection

EJOT[®]

EJOT®

EJObar

The simplest,
low cost solution that will
not compromise the
roof's integrity



EJOT EJObar is the perfect low-cost solution to a multitude of single-ply PVC membrane applications, for flat roofing and mechanical & electrical contractors alike.

Our sales engineers are available to provide any technical information you may require.

Call 01977 687040
www.ejot.co.uk

- Clean, professional solution
- No penetration of the membrane is required - maintains watertight integrity of the roof
- Practical, adaptable and very low in cost
- Suitable for most single-ply PVC membranes
- Easy to hot weld in position and creates a very strong fix
- Very effective when used free-standing
- Ideal for carrying mechanical & electrical equipment, walkway systems, applied cladding systems - and many solar applications

EJOT®

EJOT® The Quality Connection



One innovative product, infinite bridging solutions



The 'membrane friendly' **EJObar** has been designed to create a non-penetrative fixing base for an infinite range of applied systems - typically mechanical & electrical essentials such as pipework and cable trays - through to lightweight solar PV and thermal installations.



In fact, almost anything that has to be secured to, or rest upon the roofing membrane, lends itself to this innovative, low-cost solution.

Fixing to **EJObar** is simplicity itself. Carriers, elevating struts and light weight framing can be secured quickly by any competent installer - and EJOT's super-clean **JF3 self-drilling fastener** completes this totally unique and user-friendly package!

**Available to buy off-the-shelf
in five practical lengths**

EJObar is supplied in a range of practical lengths and is available through leading M & E Distributors or from the EJOT UK online webshop. You can choose from 0.15, 0.3, 0.5, 1.0 metre and 3 metre lengths.





The EJOT brand

To carry the EJOT brand, we have to be sure our products are fit for purpose.

EJObars' sealing caps are injection moulded for a precision fit. A bonded sealant ensures EJObars' core remains watertight and protected from the elements at either end.

Quality in profile

EJObars' 'top hat' profile is 100% top quality. Comprising of a thermoplastic membrane based on monomeric PVC-P, this extremely resilient PVC will stand up to the toughest environments.

Core strength

At the heart of every EJObars is a strong, 2mm thick aluminium bar.


On all standard lengths, the aluminium insert runs the full length of the product providing EJObars' load bearing strength, whilst creating a perfect fixing base for EJOT's JF3 self-drilling fastener.

EJObars is available to buy online www.ejot.co.uk

Use EJObar freestanding or fixed



EJObar can be easily hot welded by a contractor who is approved by the roofing membrane manufacturer.





For the majority of light weight applications EJObar can be used free-standing.



Technical guidance for special applications

As standard procedure, the membrane should be checked for suitability of attachment or applied system. EJOT UK has produced a technical guide to accompany this product brochure, and we can comment on specific criteria, such as wind load calculations, load capacities etc taking application specifics into consideration.

- See "EJOT EJObar - a technical guide"
- Talk to your EJOT Product Manager
- Call EJOT Technical Support: 01977 687040




EJOT® The Quality Connection

Applitec tested and approved

EJOTbar has been tested to the limits.

EJOT's Applitec laboratory has an unrivalled reputation throughout the UK Construction Industry for critical testing and assessment of technical systems.

- Tensometer tests were designed to assess EJOTbar's weld strength
- Seven leading membranes were tested in a like for like environment
- All of the membranes surpassed EJOT's rigorous quality and testing procedures, achieving an average 3.0 Kilonewton loading



Shop with EJOT... ONLINE!


EJOT UK's new website opens the door to e-commerce and an extensive online shopping opportunity for our customers - My EJOT.

My EJOT benefits our customers in several ways:

- Detail - more technical information at a click
- Fast - easy to register, easy to navigate
- Quicker - search by Product or Application
- Transparent - prices, product availability and delivery status
- Dynamic - My EJOT will save time by creating personal purchase lists and your order history at a glance



Visit the My EJOT webshop: www.ejot.co.uk



EJOT UK Limited,
Hurricane Close, Sherburn Enterprise Park,
Sherburn-in-Elmet, Leeds LS25 6BP
01977 68 70 40 info@ejot.co.uk
www.ejot.co.uk

EJOT®