

LEED® CERTIFICATION: TECHNICAL LETTER

This document verifies that Lexcan Limited's *Hi-Tuff™ Reinforced TPO Membrane* helps project teams earn credits for LEED® 2009 Certification of New Construction (NC), and Existing Buildings Operations & Maintenance (EBOM). The following chart describes the applicable credit criteria.


System	Applicable Credit	LEED Point Value
LEED-NC	MR 4: Recycled Content	1-3
LEED-NC	MR 5: Regional Materials	1-2
LEED-NC	MR 8: Durable Building	1
LEED-NC	SS 7.2: Heat Island Effect Roof	1
LEED-NC	EA 1: Optimize Energy Performance	1-10

1. **Lexcan's Hi-Tuff™ Reinforced TPO Membrane** contains approximately 10% pre-consumer recycled content and 0% post-consumer recycled content.
2. **Lexcan's Hi-Tuff™ Reinforced TPO Membrane** is manufactured in Senatobia, MS.
3. **Lexcan's Hi-Tuff™ Reinforced TPO Membrane** are comprised of compounds from across the U.S. and, therefore, do not comply with the portion of the credit pertaining to extraction, harvesting, and recovering.
4. **Lexcan's Hi-Tuff™ Reinforced TPO Membrane** has a Thermal Emissivity of 0.95 as tested in accordance with ASTM 408 and a Solar Reflectance Index of 110.

Should you have any questions or if I can be of any assistance please do not hesitate to contact me anytime. I can be reached at 905-792-8300 or via email at meikermamm@lexcan.com.

Regards,
Mike John Eikermann

Mike
Eikermann



Digitally signed by Mike Eikermann
DN: cn=Mike Eikermann, o=Lexsuco
2010 Corporation, ou=R & D,
email=meikermamm@lexcan.com, c=I
Date: 2016.06.05 14:36:19 -0400

VP Manufacturing & Supply Chain

