

FlameSEAL Water Based Primer Safety Data Sheet

Date: June 2021

SECTION 1 – CHEMICAL PRODUCT & COMPANY IDENTIFICATION

Product: Product Name: Other Names: Product Code:

HSNO Approval:

Uses:

Company Details: Company: Address:

Telephone: Website:

Emergency Number:

FlameSEAL Water Based Primer N/A FSPWB Non-hazardous

Bituminous water-based primer

Sealco Limited Unit 5, 18 Taurus Pl, Bromley, Christchurch PO Box 35-190, Shirley, Christchurch 03 366 9495, 0508 292 837 www.sealco.co.nz

National Poisons Centre 0800 764 766

SECTION 2 – HAZARDS IDENTIFICATION

Classification of the substance:

This product is not classified as hazardous according to the criteria of the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

Hazard Statements:

Contains a biocide product: 1,2-benzisothiazol-3 (2H) -one, Tetramethylol acetylene diurea. May produce an allergic reaction.

VOC (Directive 2004/42/EC):

Binding primers. VOC given in g/litre of product in a ready-to-use condition: <0.50 Limit Value: 30.00

Symbols - None

SECTION 3 – INFORMATION ON INGREDIENTS

| CAS / Identification | Component | Conc (%) |
|----------------------|--------------------------------|------------------|
| 5395-50-6 | Tetramethylol acetylene diurea | 0.001 ≤ x < 0.04 |
| 2634-33-5 | 1,2-Benzisothiazol-3 (2H) -one | 0.001 ≤ x < 0.04 |

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions set forth in Directives 67/548/EEC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

SECTION 4 – FIRST AID MEASURES

Description of Necessary Measures:

Not specifically necessary. Observance of good industrial hygiene is recommended.

No harm to the staff authorized to use has been reported. However, in case of contact, inhalation or ingestion, the following general measures provided for a first aid shall be taken.

Inhalation – remove to open air.

Skin - wash with plenty of water; seek medical advice if irritation persists.

Eyes - wash with plenty of water; seek medical advice if irritation persists.

Ingestion - seek medical attention. Induce vomiting only if indicated by the doctor. Never give anything by mouth to an unconscious person.

Indication of any immediate medical attention and special treatment needed. Information not available.

Most Important Symptoms and Effects – Both acute and delayed.

Specific information on symptoms and effects caused by the product are unknown.

SECTION 5 – FIRE FIGHTING MEASURES

Extinguishing Media:

Extinguishing Media Suitable Extinguishing Media

Use carbon dioxide, regular dry chemical, regular foam, or water spray.

Unsuitable Extinguishing Media

None in particular.

Special Hazards Arising by Exposure in Event of Fire

Do not breathe combustion products.

Firefighting Measures

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

Special Protective Equipment and Precautions for Firefighters

Wear full protective firefighting gear including self-contained breathing apparatus (SCBA) for protection against possible exposure.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Use breathing equipment if fumes or powders are released into the air. These indications apply for both processing staff and those involved in emergency procedures.

Methods and Materials for Containment and Cleaning Up

Confine using earth or inert material. Collect as much material as possible and eliminate the rest using jets of water. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

Environmental Precautions

The product must not penetrate the sewer system or come into contact with surface water or ground water. Avoid release to the environment. Collect spillage.

SECTION 7 – HANDLING & STORAGE

Precautions for Safe Handling

Before handling the product, consult all the other sections of this material safety data sheet. Avoid leakage of the product into the environment. Do not eat, drink or smoke during use. Wear protective gloves and clothing.

Conditions for Safe Storage, Including any Incompatibilities

Keep the product in clearly labelled containers. Keep containers away from any incompatible materials, see section 10 for details.

Keep containers closed, away from frost and heat.

Specific end use(s)

Information not available

SECTION 8 – EXPOSURE CONTROL & PERSONAL PROTECTION

NZ Workplace Exposure Standards:

A workplace exposure standard (WES) has not been established by Worksafe NZ for this product. There is a general limit of 3mg/m³ for respirable particulates and 10mg/m³ for inhalable particulates when limits have not otherwise been set.

NZ Workplace Exposure Standards

| Ingredient | WES-TWA | WES-STEL |
|------------|--------------------|---------------|
| Bitumen | 5mg/m ³ | Not available |

Exposure Controls:

Comply with the safety measures usually applied when handling chemical substances.

Personal Protective Equipment:

Eyes Protection: None required.

Skin Protection: None required.

Gloves: Reccommended:

Respiratory Protection: An approved air-purifying respirator with an appropriate cartridge or canister may be appropriate under certain circumstances where airborne concentrations are expected to exceed exposure limits.

SECTION 9 – PHYSICAL & CHEMICAL PROPERTIES

| Appearance | Brown liquid | Physical State | Liquid |
|----------------------------|---------------|-------------------------------------------|----------------|
| Odour | Mild | Colour | Brown |
| Odour Threshold | Not available | рН | 8-10 |
| Melting Point | Not available | Boiling Point | > 65°C |
| Freezing Point | Not available | Evaporation Rate | 1 |
| Boiling Point Range | Not available | Flammability (solid, gas) | Not available |
| Auto-ignition | Not available | Flash Point | Not available |
| Lower Explosive Limit | Not available | Decomposition | Not available |
| Upper Explosive Limit | Not available | Vapor Pressure | Not available |
| Vapor Density (air=1) | Not available | Specific Gravity (water=1) | Not available |
| Solubility | Miscible | Partition coefficient: n-octanol/water | Not available |
| Viscosity | Not available | Solubility (Other) | Not available |
| Relative Density | 0.95 – 1.10 | VOC | < 0.50 g/litre |

SECTION 10 – STABILITY & REACTIVITY

| Reactivity | There are no particular risks of reaction with other substances in normal conditions of use. | |
|------------------------------------|----------------------------------------------------------------------------------------------------|--|
| Chemical Stability | The product is stable in normal conditions of use and storage. | |
| Possibility of Hazardous Reactions | No hazardous reactions are foreseeable in normal conditions of use and storage. | |
| Conditions to Avoid | None in particular. However, the usual precautions used for chemical products should be respected. | |
| Incompatible Materials | Information not available. | |
| Hazardous decomposition products | Information not available. | |

SECTION 11 – TOXICOLOGICAL INFORMATION

Information on toxicological Effects

Because of lack of experimental toxicological data on the product, possible dangers for health are evaluated in function of the substances contained, according to the current regulations. The concentration of the dangerous substances quoted in sec.3 is considered to evaluate possible toxicological effects due to product exposure.

Metabolism, toxicokinetic, mechanism of action and other information

Information not available

Information on Likely Routes of Exposure

Information not available

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

Interactive effects

Information not available

Acute and Chronic Toxicity Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Solvent naphtha, petroleum, light aliphatic (64742-89-8) Oral LD50 Mouse 5000 mg/kg Dermal LD50 Rabbit 3000 mg/kg

Product Toxicity Data

Product Analysis LD/LC 50 Toxicity Values

| Oral LD50 | Not classified (no significant component) |
|-----------------|-------------------------------------------|
| Dermal LD 50 | Not classified (no significant component) |
| Inhalation LC50 | Not classified (no significant component) |

| 1,2-Benzisothiazol-3 (2H) -one | |
|--------------------------------|------------------|
| LD50 (Oral) | > 1150 mg/kg rat |
| LD50 (Dermal) | > 2000 mg/kg rat |
| | |
| Tetramethylol acetylene diurea | |
| Oral LD50 | > 2000 mg/kg rat |
| Dermal LD 50 | > 2000 mg/kg rat |
| Inhalation LC50 | > 5 mg/l/4h rat |

Skin Corrosion - Does not meet the classification criteria for this hazard class

Serious Eye Damage / Irritation - Does not meet the classification criteria for this hazard class Respiratory or Skin Sensitisation - May produce an allergic reaction. Contains 1,2-benzisothiazol-3 (2H) -

one, Tetramethylol acetylene diurea

Germ Cell Mutagenicity - Does not meet the classification criteria for this hazard class **Carcinogenicity** - Does not meet the classification criteria for this hazard class

Carcinogenicity - Does not meet the classification criteria for this hazard class

Reproductive Toxicity - Does not meet the classification criteria for this hazard class **STOT – Single Exposure** - Does not meet the classification criteria for this hazard class

Aspiration Hazard - Does not meet the classification criteria for this hazard class

SECTION 12 – ECOLOGICAL INFORMATION

| 1,2-Benzisothiazol-3 (2H) -one | | |
|----------------------------------|---------------------------------------------|--|
| Algae / Aquatic Plants | EC50 – 0.37 mg/l/72h | |
| Crustacea | EC50 – 3.7 mg/l/48h Dafnie | |
| | | |
| Tetramethylol acetylene diurea | | |
| Algae / Aquatic Plants | EC50 – 8.5 mg/l/72h Desmodesmus subspicatus | |
| Crustacea | EC50 – 38.9 mg/l/48h Daphnia magna) | |
| Fish | LC50 – 17.6 mg/l/96h Brachydanio rerio | |
| Chronic NOEC for Algae / Aquatic | 3.93 mg/l Algae-72h | |
| Plants | | |
| Chronic NOEC for Crustacea | 11.2 mg/l Daphnia magna-21d | |

Persistence and degradability - Information not available

Bio-accumulative potential - Information not available **Mobility in soil** - Information not available **Results of PBT and vPvB assessment** - Based on available data, the product does not contain any PBT or vPvB in percentage greater than 0,1% **Other adverse effects** - Information not available

SECTION 13 – DISPOSAL CONSIDERATIONS

Waste treatment methods:

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14 – TRANSPORT INFORMATION

Land Transport Rule: Dangerous Goods 2005 – NZS5433:2007 – There are no specific restrictions for this product (Not a Dangerous Good).

| Shipping Name: | Not applicable | Packing Group: | Not applicable |
|----------------|----------------|----------------|----------------|
| UN # | Not applicable | HAZCHEM Code | Not applicable |
| Hazard Class: | Not applicable | Precautions: | Not applicable |

SECTION 15 – REGULATORY INFORMATION

This product is not classified as Hazardous according to the criteria of the Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix) Key Workplace requirement are:

| SDS | Not required | |
|---------------------------------|----------------------------------------------------------------------|--|
| Inventory | An inventory of all hazardous substances must be prepared and | |
| | maintained | |
| Packaging | All hazardous substances should be appropriately packaged, including | |
| | substances that have been decanted, transferred, or manufactured | |
| | for own use or have been supplied | |
| Labelling | Must comply with the Hazardous Substances (Labelling) Notice 2017 | |
| Emergency Plan | Not required | |
| Certified Handler | Not required | |
| Tracking | Not required | |
| Bunding & Secondary Containment | Not required | |
| Signage | Not required | |
| Location Compliance Certificate | Not required | |
| Flammable Zone | Not required | |
| Fire Extinguisher | Not required | |

Section 16 – OTHER INFORMATION

Abbreviations:

| CAS Number | Unique Chemical Abstracts Service Registry Number |
|-----------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Controls Matrix | List of default controls linking regulation numbers to Matrix code |
| EC50 | Ecotoxic Concentration 50% - concentration in water which is fatal to 50% |
| | of a test population (eg. Daphnia, fish species) |
| EPA | Environmental Protection Authority |
| HAZCHEM Code | Emergency action code of numbers and letters that provide information to |
| | emergency services, especially firefighters |
| HSNO | Hazardous Substances and New Organisms (Act & Regulations) |
| IARC | International Agency for Research on Cancer |
| LEL | Lower Explosive Limit |
| LD50 | Lethal Dose 50% - dose which is fatal to 50% of a test population (usually rats) |
| LC50 | Lethal Concentration 50% - concentration in air which is fatal to 50% of a |
| | test population (usually rats) |
| MSDS (SDS) | Material Safety Data Sheet (Safety Data Sheet) |
| NZIOC | New Zealand Inventory of Chemicals |
| PES | Prescribes Exposure Standard means a WES or a biological exposure standard that is prescribed in a regulation, a safe work instrument or an approval under HSNO |
| WES | Workplace Exposure Standard – The airborne concentration of a biological or chemical agent to which a worker may be exposed during work hours (usually 8 hours per day, 5 days per week) The WES relates to exposure that has been measured by personal monitoring using procedures that gather air samples in the workers breathing zone |
| | |

Review

| Date | Reason for Review | Version |
|-----------|--------------------------|---------|
| June 2021 | Not applicable – New SDS | 1 |

Disclaimer:

This SDS was prepared by Sealco Ltd and is based on our current knowledge, including information obtained by suppliers. This product may be formulated in part with components purchased from other companies. No warranty of merchantability, fitness for any use, or any other warranty is expressed or implied regarding the accuracy of such data or information. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties and how the substance is used. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.